



INNOVATIVE IDEAS
EXCEPTIONAL DESIGN
UNMATCHED CLIENT SERVICE

ADDENDUM NO. 2

Date Issued: July 27, 2016
To: All Bidders
Project Name: **Kalkaska Public Transit Authority (KPTA)
Facility Renovations**
Project Number: 1441.6628.90
Subject: This Addendum is issued to clarify and revise the construction documents dated July 6, 2016 as follows:

Item 1 – Driver's Lounge 002 - Door D002: 2 Hour Fire Rating and the following Hardware Set:

SGL 3' 0" X 7' 0" X 1 3/4" X HMD X HMF X 2HR RTD

Provide SGL door with the following:

Qty		Description	Catalog Number	Finish	Mfr
3	EA	HINGE	5BB1 4.5 X 4.5	652	IVE
1	EA	CLASSROOM SECURITY	L9071P 17A	626	SCH
1	EA	SURFACE CLOSER	4111 EDA	689	LCN
2	EA	KICK PLATE	8400 10" X 2" LDW	630	IVE
1	EA	WALL STOP	WS407CVX	630	IVE
1	SET	SEALS	5050B	BRN	NGP
1	EA	DOOR BOTTOM	6MS0002P006	CHA	STE
1	EA	THRESHOLD	424	AL	NGP

Coordinate the keying of the door per the Owner's requirements.

ACKNOWLEDGMENT: Two copies of this Addendum, properly signed in the space provided below, must be acknowledged and returned with the bidder's proposal for submission of a valid proposal. The changes and information shall become part of the contract documents.

_____.
Firm Name

_____.
Bidder's Signature

_____.
Date

m:\proj\1441\6628 kat\docs\bitding\addendum no 2 text.doc